



ROOF TOP UNIT PLAN

SCALE: $\frac{1}{4}" = 1'-0"$



SECTION

SCALE: $1" = 1'-0"$

NOTES:

1. DESIGN CONFORMS WITH 2014 FBC, 5TH EDITION CRITERIA FOR 150 MPH WIND FORCES PER ASCE/SEI 7-10 MINIMUM DESIGN LOADS FOR BUILDINGS & OTHER STRUCTURES.
2. WIND EXPOSURE FACTOR 'B'
3. INTERNAL PRESSURE COEFFICIENT = ± 0.18
4. COMPONENTS/CLADDING ± 35 PSF.
5. RISK CATEGORY II.

<p>Michael A. Robinson, P.E. 5.17.16</p>		MICHAEL A. ROBINSON, P.E. (Rusty)	
		STRUCTURAL ENGINEERING, INC. INDUSTRIAL, COMMERCIAL, and RESIDENTIAL LAKELAND, FLORIDA	
Florida Registration No. 28317		SCALE: AS NOTED	
SEMCO Construction, Inc. HILLSBOROUGH SHERIFF'S DEPARTMENT ROOF TOP UNIT ATTACHMENT		DRAWN BY: MAR CHECKED: RR DATE: 5-16-16	
DRAWING NUMBER S-01		REVISION 0	